

# Active Anuket repos

This is a list of active Anuket repos in the July of 2022

	Location	Is active
airship	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"><li>is archived</li><li><b>Gerrit must be set as RO</b></li></ul>
apex	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"><li>is archived</li><li><b>Gerrit must be set as RO</b></li></ul>
apex-os-net-config	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"><li>is archived</li><li><b>Gerrit must be set as RO</b></li></ul>
apex-puppet-tripleo	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"><li>is archived</li><li><b>Gerrit must be set as RO</b></li></ul>
apex-tripleo-heat-templates	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"><li>is archived</li><li><b>Gerrit must be set as RO</b></li></ul>
armband	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"><li>is archived</li><li><b>Gerrit must be set as RO</b></li></ul>
auto	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"><li>is archived</li><li><b>Gerrit must be set as RO</b></li></ul>
availability	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"><li>is archived</li><li><b>Gerrit must be set as RO</b></li></ul>
bamboo	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"><li>is archived</li><li><b>Gerrit must be set as RO</b></li></ul>
barometer	Gerrit	yes
bottlenecks	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"><li>is archived</li><li><b>Gerrit must be set as RO</b></li></ul>
calipso	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"><li>is archived</li><li><b>Gerrit must be set as RO</b></li></ul>
cirv	Gerrit	yes
cirv-hdv	Gerrit	

cirv-rapid	Gerrit	
cirv-sdv	Gerrit	
cirv-spirent	Gerrit	
clover	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
compass-containers	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
compass4nfv	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
conductor	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
container4nfv	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
copper	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
cperf	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
cran	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
daisy	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
doctor	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
domino	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
dovetail	Gerrit	<a href="#">Dan Xu</a> <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>

dovetail-webportal	Gerrit	<a href="#">Dan Xu</a> <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
dpacc	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
edgecloud	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
enfv	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
escalator	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
fastpathmetrics	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
fds	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
fuel	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
functest	Gerrit	yes
functest-kubernetes	Gerrit	yes
functest-requirements	Gerrit	yes
functest-xtesting	Gerrit	yes
genesis	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
genesisreq	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
infra	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
inspector	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>

ipv6	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
joid	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
kuberef	Gerrit	yes
kvmfornfv	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
laas	Gerrit	yes
laas-reflab	Gerrit	yes
Isoapi	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
models	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
moon	Gerrit	
movie	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
multisite	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
netready	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
nfvbench	Gerrit	yes
octopus	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
onosfw	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
openretriever	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>

opera	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
opnfvdocs	Gerrit	yes
opnfvts	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>not used</li> <li><b>Gerrit must be set as RO</b></li> </ul>
orchestra	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
oscar	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
ovn4nfv	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
ovn4nfv-k8s-plugin	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
ovno	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
ovsnfv	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
parser	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
pharos	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
pharos-tools	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
pinpoint	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
policytest	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>

prediction	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
promise	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
puppet-barometer	Gerrit	
qtip	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
releng	Gerrit	yes
releng-anteater	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
releng-testresults	Gerrit	yes
releng-utils	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
releng-xci	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
releng-xci-scenarios	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
rocket	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
rs	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
samplevnf	Gerrit	yes
sandbox	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
sandbox-zuul-config	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
sandbox-zuul-untrusted	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>

sdnvpn	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
securedlab	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
securityscanning	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
sfc	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
snaps	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
spark-model-runner	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
stor4nfv	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
storperf	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>
test	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>LFN sandbox ??</li> <li><b>must be deleted</b></li> </ul>
test/test	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>LFN sandbox ??</li> <li><b>must be deleted</b></li> </ul>
test/test1	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>LFN sandbox ??</li> <li><b>must be deleted</b></li> </ul>
test2	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>LFN sandbox ??</li> <li><b>must be deleted</b></li> </ul>
thoth	Gerrit	yes
ves	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>is archived</li> <li><b>Gerrit must be set as RO</b></li> </ul>

vineperf	Gerrit	yes
vnf_forwarding_graph	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>• is archived</li> <li>• <b>Gerrit must be set as RO</b></li> </ul>
vswitchperf	Gerrit	
yardstick	Gerrit	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>• is archived</li> <li>• <b>Gerrit must be set as RO</b></li> </ul>
CNTT	GitH ub	<a href="#">Gergely Csatai</a> : <ul style="list-style-type: none"> <li>• This was moved to anuket-project/anuket-specification and it is active</li> </ul>
anuket-project/sphinxcontrib- relative-link-corrector	GitH ub	<a href="#">Cedric Ollivier</a> <ul style="list-style-type: none"> <li>▪ this shouldn't be hosted in CNTT.</li> <li>▪ <b>Why not use the contributor's repo?</b></li> </ul> <a href="#">Gergely Csatai</a> <ul style="list-style-type: none"> <li>• It was created to support CNTT doc compilation from md not relevant anymore. I can move it to an other home if Anuket does not want it.</li> </ul>
sphinxcontrib-readme-to-index	GitH ub	<a href="#">Cedric Ollivier</a> <ul style="list-style-type: none"> <li>• this shouldn't be hosted in CNTT.</li> <li>• <b>Why not use the contributor's repo?</b></li> </ul> <a href="#">Gergely Csatai</a> <ul style="list-style-type: none"> <li>• It was created to support CNTT doc compilation from md not relevant anymore. I can move it to an other home if Anuket does not want it.</li> </ul>
sphinxcontrib-direct-copy	GitH ub	<a href="#">Cedric Ollivier</a> <ul style="list-style-type: none"> <li>• this shouldn't be hosted in CNTT.</li> <li>• <b>Why not use the contributor's repo?</b></li> </ul> <a href="#">Gergely Csatai</a> <ul style="list-style-type: none"> <li>• It was created to support CNTT doc compilation from md not relevant anymore. I can move it to an other home if Anuket does not want it.</li> </ul>
Netready	GitLab	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>▪ was archived before any GitLab discussion</li> <li>▪ Gerrit must be set as RO if it's not done already</li> <li>▪ <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Snaps	GitLab	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO if it's not done already</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Sfc	GitLab	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>



Sdnvnpn	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Qtip	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Promise	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Prediction	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Parser	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Ovn4nfv K8s Plugin	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Ovn4nfv	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Openretriever	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Onosfw	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Octopus	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Multisite	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>

Lsoapi	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Kvmfornfv	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Ipv6	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Inspector	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Genesisreq	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Genesis	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Compass4nfv	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Compass Containers	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Yardstick	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
VES	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
FastPathMetrics	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul> <p><a href="#">Emma Foley</a> this was the SFQM project repo, renamed to Barometer circa 2016</p>

Escalator	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
DPACC	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Domino	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Daisy	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
CPerf	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Copper	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Opera	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
VNF Forwarding Graph	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
JOID	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
OVSNFV	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
CNTT	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• <b>this repo is obsolete which is a big concern!</b></li> <li>• <b>at worst this repo must be automatically synced as we have done for OPNFV projects in Github</b></li> <li>• I would have recommended not to create it until any TSC decision.</li> </ul>

Bottlenecks	GitLab	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Availability	GitLab	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Auto	GitLab	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
FastDataStacks	GitLab	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Apex-Puppet-TripleO	GitLab	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Fuel	GitLab	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Apex	GitLab	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Armband	GitLab	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Pharos-Tools	GitLab	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Stor4NFV	GitLab	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Doctor	GitLab	<a href="#">Cedric Ollivier</a> : <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>

VinePerf	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Pharos	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
<a href="#">releng</a>	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• no point as Releng depends on Gerrit</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
<a href="#">vswitchperf</a>	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• is archived (see vineperf)</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
storperf	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• is archived</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo must be removed asap</b></li> </ul>
samplevnf	GitLab	
opnfvdocs	GitLab	
nfvbench	GitLab	currently mirror of gerrit
laas-reflab	GitLab	currently mirror of gerrit
<a href="#">laas</a>	GitLab	currently mirror of gerrit
<a href="#">kuberef</a>	GitLab	currently mirror of gerrit
<a href="#">functest-xtesting</a>	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• basically mislead the enduser (it would remain in Gerrit) and the contributor doesn't have any right there</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
<a href="#">functest-kubernetes</a>	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• basically mislead the enduser (it would remain in Gerrit) and the contributor doesn't have any right there</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
<a href="#">functest</a>	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• basically mislead the enduser (it would remain in Gerrit) and the contributor doesn't have any right there</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
dovetail-webportal	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• is it still active (last change was done many months ago) ?</li> <li>• <b>this Gitlab repo could be removed</b></li> </ul> <p><a href="#">Dan Xu</a> :</p> <ul style="list-style-type: none"> <li>• It's mirror of Gerrit</li> <li>• <b>Not active, could be removed</b></li> </ul>

dovetail	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• is it still active (last change was done many months ago) ?</li> <li>• <b>this Gitlab repo could be removed</b></li> </ul> <p><a href="#">Dan Xu</a> :</p> <ul style="list-style-type: none"> <li>• It's mirror of Gerrit</li> <li>• <b>Not active, could be removed</b></li> </ul>
cirv-spirent	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• is it still active (last change was done many months ago) ?</li> <li>• <b>this Gitlab repo could be removed</b></li> </ul>
cirv-sdv	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• is it still active (last change was done many months ago) ?</li> <li>• <b>this Gitlab repo could be removed</b></li> </ul>
cirv-rapid	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• is it still active (last change was done many months ago) ?</li> <li>• <b>this Gitlab repo could be removed</b></li> </ul>
cirv-hdv	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• is it still active (last change was done many months ago) ?</li> <li>• <b>this Gitlab repo could be removed</b></li> </ul>
cirv	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• is it still active (last change was done many months ago) ?</li> <li>• <b>this Gitlab repo could be removed</b></li> </ul>
Barometer	GitLab	currently mirror of gerrit
Calipso	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• was archived before any GitLab discussion</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo mustn't have been created and must be removed asap</b></li> </ul>
Airship	GitLab	<p><a href="#">Cedric Ollivier</a> :</p> <ul style="list-style-type: none"> <li>• is archived</li> <li>• Gerrit must be set as RO</li> <li>• <b>this Gitlab repo must be removed asap</b></li> </ul>