

Active Anuket repos

This is a list of active Anuket repos in the April of 2024

Name	Location
barometer	OPNFV Gerrit
cirv	OPNFV Gerrit
cirv-hdv	OPNFV Gerrit
cirv-rapid	OPNFV Gerrit
cirv-sdv	OPNFV Gerrit
cirv-spirent	OPNFV Gerrit
functest	OPNFV Gerrit
functest-kubernetes	OPNFV Gerrit
functest-requirements	OPNFV Gerrit
functest-xtesting	OPNFV Gerrit
kuberef	OPNFV Gerrit
laas	GitHub/anuket-project
laas-reflab	GitHub/anuket-project
moon	OPNFV Gerrit
nfvbench	OPNFV Gerrit
opnfvdocs	OPNFV Gerrit
puppet-barometer	OPNFV Gerrit
releng	OPNFV Gerrit
releng-testresults	OPNFV Gerrit
samplevnf	OPNFV Gerrit
thoth	OPNFV Gerrit
vineperf	OPNFV Gerrit
vswitchperf	OPNFV Gerrit
anuket-specifications	GitHub/anuket-project
RM	GitHub/anuket-project
RA1	GitHub/anuket-project
RI1	GitHub/anuket-project
RC	GitHub/anuket-project
RA2	GitHub/anuket-project
RI2	GitHub/anuket-project
RC2	GitHub/anuket-project

Inactive Anuket repos

Name	Location	Notes
------	----------	-------

airship	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
apex	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
apex-os-net-config	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
apex-puppet-tripleo	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
apex-tripleo-heat-templates	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
armband	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
auto	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
availability	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
bamboo	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
bottlenecks	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
calipso	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
clover	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
compass-containers	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO

compass4nfv	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
conductor	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
container4nfv	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
copper	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
cperf	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
cran	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
daisy	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
doctor	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
domino	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
dovetail	Gerrit	Dan Xu <ul style="list-style-type: none"> is archived Gerrit must be set as RO
dovetail-webportal	Gerrit	Dan Xu <ul style="list-style-type: none"> is archived Gerrit must be set as RO
dpacc	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
edgecloud	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO

enfv	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
escalator	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
fastpathmetrics	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
fds	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
fuel	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
genesis	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
genesisreq	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
infra	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
inspector	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
ipv6	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
joid	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
kvmfornfv	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
laas	Gerrit	Moved to GitHub
laas-reflab	Gerrit	Moved to GitHub

isoapi	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
models	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
movie	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
multisite	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
netready	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
octopus	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
onosfw	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
openretriever	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
opera	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
opnfvts	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> not used Gerrit must be set as RO
orchestra	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
oscar	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
ovn4nfv	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO

ovn4nfv-k8s-plugin	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
ovno	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
ovsnfv	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
parser	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
pharos	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
pharos-tools	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
pinpoint	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
policytest	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
prediction	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
promise	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
qtip	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
releng-anteater	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
releng-utils	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO

releng-xci	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
releng-xci-scenarios	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
rocket	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
rs	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
sandbox	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
sandbox-zuul-config	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
sandbox-zuul-untrusted	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
sdnvpn	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
securedlab	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
securityscanning	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
sfc	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
snaps	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO
spark-model-runner	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> is archived Gerrit must be set as RO

stor4nfv	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
storperf	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
test	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • LFN sandbox ?? • must be deleted
test/test	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • LFN sandbox ?? • must be deleted
test/test1	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • LFN sandbox ?? • must be deleted
test2	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • LFN sandbox ?? • must be deleted
ves	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
vnf_forwarding_graph	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
yardstick	Gerrit	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO
CNTT	GitH ub	Gergely Csatai : <ul style="list-style-type: none"> • This was moved to anuket-project/anuket-specification and it is active
anuket-project/sphinxcontrib-relative-link-corrector	GitH ub	Cedric Ollivier <ul style="list-style-type: none"> ▪ this shouldn't be hosted in CNTT. ▪ Why not use the contributor's repo? Gergely Csatai <ul style="list-style-type: none"> • It was created to support CNTT doc compilation from md not relevant anymore. I can move it to an other home if Anuket does not want it.
sphinxcontrib-readme-to-index	GitH ub	Cedric Ollivier <ul style="list-style-type: none"> • this shouldn't be hosted in CNTT. • Why not use the contributor's repo? Gergely Csatai <ul style="list-style-type: none"> • It was created to support CNTT doc compilation from md not relevant anymore. I can move it to an other home if Anuket does not want it.

sphinxcontrib-direct-copy	GitHub	<p>Cedric Ollivier</p> <ul style="list-style-type: none"> this shouldn't be hosted in CNTT. Why not use the contributor's repo? <p>Gergely Csatari</p> <ul style="list-style-type: none"> It was created to support CNTT doc compilation from md not relevant anymore. I can move it to an other home if Anuket does not want it.
Netready	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> was archived before any GitLab discussion Gerrit must be set as RO if it's not done already this Gitlab repo mustn't have been created and must be removed asap
Snaps	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> was archived before any GitLab discussion Gerrit must be set as RO if it's not done already this Gitlab repo mustn't have been created and must be removed asap
Sfc	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> was archived before any GitLab discussion Gerrit must be set as RO this Gitlab repo mustn't have been created and must be removed asap
Sdnvpr	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> was archived before any GitLab discussion Gerrit must be set as RO this Gitlab repo mustn't have been created and must be removed asap
Qtip	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> was archived before any GitLab discussion Gerrit must be set as RO this Gitlab repo mustn't have been created and must be removed asap
Promise	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> was archived before any GitLab discussion Gerrit must be set as RO this Gitlab repo mustn't have been created and must be removed asap
Prediction	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> was archived before any GitLab discussion Gerrit must be set as RO this Gitlab repo mustn't have been created and must be removed asap
Parser	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> was archived before any GitLab discussion Gerrit must be set as RO this Gitlab repo mustn't have been created and must be removed asap
Ovn4nfv K8s Plugin	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> was archived before any GitLab discussion Gerrit must be set as RO this Gitlab repo mustn't have been created and must be removed asap
Ovn4nfv	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> was archived before any GitLab discussion Gerrit must be set as RO this Gitlab repo mustn't have been created and must be removed asap

Openretriever	GitLab	Cedric Ollivier : <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
Onosfw	GitLab	Cedric Ollivier : <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
Octopus	GitLab	Cedric Ollivier : <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
Multisite	GitLab	Cedric Ollivier : <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
Lsoapi	GitLab	Cedric Ollivier : <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
Kvmfornfv	GitLab	Cedric Ollivier : <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
Ipv6	GitLab	Cedric Ollivier : <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
Inspector	GitLab	Cedric Ollivier : <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
Genesisreq	GitLab	Cedric Ollivier : <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
Genesis	GitLab	Cedric Ollivier : <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
Compass4nfv	GitLab	Cedric Ollivier : <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap

Compass Containers	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
Yardstick	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
VES	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
FastPathMetrics	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap <p>Emma Foley this was the SFQM project repo, renamed to Barometer circa 2016</p>
Escalator	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
DPACC	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
Domino	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
Daisy	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
CPerf	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
Copper	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
Opera	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap

VNF Forwarding Graph	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
JOID	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
OVSNFV	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
CNTT	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • this repo is obsolete which is a big concern! • at worst this repo must be automatically synced as we have done for OPNFV projects in Github • I would have recommended not to create it until any TSC decision.
Bottlenecks	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
Availability	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
Auto	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
FastDataStacks	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
Apex-Puppet-TripleO	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
Fuel	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
Apex	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap

Armband	GitLab	Cedric Ollivier : <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
Pharos-Tools	GitLab	Cedric Ollivier : <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
Stor4NFV	GitLab	Cedric Ollivier : <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
Doctor	GitLab	Cedric Ollivier : <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
VinePerf	GitLab	Cedric Ollivier : <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
Pharos	GitLab	Cedric Ollivier : <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
releng	GitLab	Cedric Ollivier : <ul style="list-style-type: none"> • no point as Releng depends on Gerrit • this Gitlab repo mustn't have been created and must be removed asap
vswitchperf	GitLab	Cedric Ollivier : <ul style="list-style-type: none"> • is archived (see vineperf) • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap
storperf	GitLab	Cedric Ollivier : <ul style="list-style-type: none"> • is archived • Gerrit must be set as RO • this Gitlab repo must be removed asap
samplevnf	GitLab	
opnfvdocs	GitLab	
nfvbench	GitLab	currently mirror of gerrit
laas-reflab	GitLab	currently mirror of gerrit
laas	GitLab	currently mirror of gerrit
kuberef	GitLab	currently mirror of gerrit
functest-xtesting	GitLab	Cedric Ollivier : <ul style="list-style-type: none"> • basically mislead the enduser (it would remain in Gerrit) and the contributor doesn't have any right there • this Gitlab repo mustn't have been created and must be removed asap

functest-kubernetes	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • basically mislead the enduser (it would remain in Gerrit) and the contributor doesn't have any right there • this Gitlab repo mustn't have been created and must be removed asap
functest	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • basically mislead the enduser (it would remain in Gerrit) and the contributor doesn't have any right there • this Gitlab repo mustn't have been created and must be removed asap
dovetail-webportal	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • is it still active (last change was done many months ago) ? • this Gitlab repo could be removed <p>Dan Xu :</p> <ul style="list-style-type: none"> • It's mirror of Gerrit • Not active, could be removed
dovetail	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • is it still active (last change was done many months ago) ? • this Gitlab repo could be removed <p>Dan Xu :</p> <ul style="list-style-type: none"> • It's mirror of Gerrit • Not active, could be removed
cirv-spirent	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • is it still active (last change was done many months ago) ? • this Gitlab repo could be removed
cirv-sdv	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • is it still active (last change was done many months ago) ? • this Gitlab repo could be removed
cirv-rapid	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • is it still active (last change was done many months ago) ? • this Gitlab repo could be removed
cirv-hdv	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • is it still active (last change was done many months ago) ? • this Gitlab repo could be removed
cirv	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • is it still active (last change was done many months ago) ? • this Gitlab repo could be removed
Barometer	GitLab	currently mirror of gerrit
Calipso	GitLab	<p>Cedric Ollivier :</p> <ul style="list-style-type: none"> • was archived before any GitLab discussion • Gerrit must be set as RO • this Gitlab repo mustn't have been created and must be removed asap

Airship

GitLab

[Cedric Ollivier](#) :

- is archived
- Gerrit must be set as RO
- **this Gitlab repo must be removed asap**