

Compliance Tests on UNH Lab

guanyu zhu Please add the Basic info of the k8s cluster you have deployed on UNH Lab including the version and config file.
Also you can give the self-test results here. Thanks.

basic info

version: 1.21.1
kubeconfig:



self-test result

functest-kubernetes-healthcheck

k8s_quick: PASS
2022-11-10 06:44:37,682 - xtesting.ci.run_tests - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 06:44:37,693 - xtesting.ci.run_tests - INFO - Loading test case 'k8s_quick'...
2022-11-10 06:44:37,708 - xtesting.ci.run_tests - INFO - Running test case 'k8s_quick'...
2022-11-10 06:44:59,271 - xtesting.ci.run_tests - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
k8s_quick	functest	00:21	PASS

2022-11-10 06:44:59,273 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_OK
(reverse-i-search)`ex': ^Cport DEPLOY_SCENARIO=k8-nosdn-nofeature-noha

k8s_smoke: PASS

2022-11-10 08:36:30,096 - [xtesting.ci.run_tests](#) - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 08:36:30,113 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'k8s_smoke'...

2022-11-10 08:36:30,138 - [xtesting.ci.run_tests](#) - INFO - Running test case 'k8s_smoke'...

2022-11-10 08:36:46,562 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
k8s_smoke	functest	00:16	PASS

2022-11-10 08:36:46,564 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_OK

functest-kubernetes-smoke

xrally_kubernetes: PASS

2022-11-10 11:12:43,143 - [xtesting.ci.run_tests](#) - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 11:12:43,242 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'xrally_kubernetes'...

2022-11-10 11:12:43,936 - [xtesting.ci.run_tests](#) - INFO - Running test case 'xrally_kubernetes'...

2022-11-10 11:24:43,804 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
xrally_kubernetes	functest	11:59	PASS

2022-11-10 11:24:43,807 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_OK

k8s_conformance: **FAIL**

2022.run_tests - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 11:32:37,257 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'k8s_conformance'...

2022-11-10 11:32:37,367 - [xtesting.ci.run_tests](#) - INFO - Running test case 'k8s_conformance'...

2022-11-10 11:46:36,493 - [functest_kubernetes.k8stest](#) - ERROR - Summarizing 7 Failures:

[Fail] [sig-network] Services [It] should be able to create a functioning NodePort service [Conformance]
/workspace/src/k8s.io/kubernetes/_output/dockerized/go/src/k8s.io/kubernetes/test/e2e/network/service.go:1169

[Fail] [sig-node] Probing container [It] should *not* be restarted with a exec "cat /tmp/health" liveness probe
[NodeConformance] [Conformance]
/workspace/src/k8s.io/kubernetes/_output/dockerized/go/src/k8s.io/kubernetes/test/e2e/common/node/container_probe.go:148

[Fail] [sig-network] Services [It] should be able to switch session affinity for NodePort service [LinuxOnly]
[Conformance]
/workspace/src/k8s.io/kubernetes/_output/dockerized/go/src/k8s.io/kubernetes/test/e2e/network/service.go:2576

[Fail] [sig-network] Services [It] should have session affinity work for NodePort service [LinuxOnly]
[Conformance]
/workspace/src/k8s.io/kubernetes/_output/dockerized/go/src/k8s.io/kubernetes/test/e2e/network/service.go:2576

[Fail] [sig-apps] StatefulSet Basic StatefulSet functionality [StatefulSetBasic] [It] Should recreate evicted statefulset [Conformance]
/workspace/src/k8s.io/kubernetes/_output/dockerized/go/src/k8s.io/kubernetes/vendor/github.com/onsi/ginkgo/internal/leafnodes/runner.go:113

[Fail] [sig-network] Services [It] should have session affinity timeout work for NodePort service [LinuxOnly]
[Conformance]
/workspace/src/k8s.io/kubernetes/_output/dockerized/go/src/k8s.io/kubernetes/test/e2e/network/service.go:2497

[Fail] [sig-network] Services [It] should be able to change the type from ExternalName to NodePort [Conformance]
/workspace/src/k8s.io/kubernetes/_output/dockerized/go/src/k8s.io/kubernetes/test/e2e/network/service.go:1351

2022-11-10 11:46:36,495 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
k8s_conformance	functest	13:59	FAIL

2022-11-10 11:46:36,497 - [xtesting.ci.run_tests](#) - ERROR - The test case 'k8s_conformance' failed.

2022-11-10 11:46:36,497 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_ERROR

sig_api_machinery: PASS

2022-11-10 12:02:57,991 - [xtesting.ci.run_tests](#) - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 12:02:58,055 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'sig_api_machinery'...
2022-11-10 12:02:58,123 - [xtesting.ci.run_tests](#) - INFO - Running test case 'sig_api_machinery'...
2022-11-10 12:09:22,900 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
sig_api_machinery	functest	06:24	PASS

2022-11-10 12:09:22,902 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_OK

sig_api_machinery_serial: PASS

bash-5.1# run_tests -t sig_api_machinery_serial

2022-11-10 12:19:47,585 - [xtesting.ci.run_tests](#) - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 12:19:47,687 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'sig_api_machinery_serial'...
2022-11-10 12:19:47,794 - [xtesting.ci.run_tests](#) - INFO - Running test case 'sig_api_machinery_serial'...
2022-11-10 12:21:21,624 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
sig_api_machinery_serial	functest	01:33	PASS

2022-11-10 12:21:21,627 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_OK

sig_apps: PASS

2022-11-10 12:34:29,184 - [xtesting.ci.run_tests](#) - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 12:34:29,283 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'sig_apps'...

2022-11-10 12:34:29,389 - [xtesting.ci.run_tests](#) - INFO - Running test case 'sig_apps'...

2022-11-10 12:36:32,646 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
sig_apps	functest	02:03	PASS

2022-11-10 12:36:32,649 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_OK

sig_apps_serial: **FAIL**

2022-11-10 12:43:03,217 - [xtesting.ci.run_tests](#) - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 12:43:03,315 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'sig_apps_serial'...

2022-11-10 12:43:03,420 - [xtesting.ci.run_tests](#) - INFO - Running test case 'sig_apps_serial'...

2022-11-10 13:03:29,449 - [functest_kubernetes.k8stest](#) - ERROR - Summarizing 2 Failures:

[Fail] [sig-apps] DisruptionController [It] evictions: maxUnavailable deny evictions, integer => should not allow an eviction [Serial]
/workspace/src/[k8s.io/kubernetes/_output/dockerized/go/src/k8s.io/kubernetes/test/e2e/apps/disruption.go:286](#)

[Fail] [sig-apps] DisruptionController [It] evictions: too few pods, replicaSet, percentage => should not allow an eviction [Serial]
/workspace/src/[k8s.io/kubernetes/_output/dockerized/go/src/k8s.io/kubernetes/test/e2e/apps/disruption.go:286](#)

2022-11-10 13:03:29,450 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
sig_apps_serial	functest	20:26	FAIL

2022-11-10 13:03:29,451 - [xtesting.ci.run_tests](#) - ERROR - The test case 'sig_apps_serial' failed.

2022-11-10 13:03:29,452 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_ERROR

sig_apps: PASS

2022-11-10 12:34:29,184 - [xtesting.ci.run_tests](#) - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 12:34:29,283 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'sig_apps'...

2022-11-10 12:34:29,389 - [xtesting.ci.run_tests](#) - INFO - Running test case 'sig_apps'...

2022-11-10 12:36:32,646 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
sig_apps	functest	02:03	PASS

2022-11-10 12:36:32,649 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_OK

sig_apps_serial: **FAIL**

2022-11-10 13:03:29,450 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
sig_apps_serial	functest	20:26	FAIL

2022-11-10 13:03:29,451 - [xtesting.ci.run_tests](#) - ERROR - The test case 'sig_apps_serial' failed.

2022-11-10 13:03:29,452 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_ERROR

sig_instrumentation: PASS

2022-11-10 12:58:48,233 - [xtesting.ci.run_tests](#) - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 12:58:48,372 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'sig_instrumentation'...

2022-11-10 12:58:48,478 - [xtesting.ci.run_tests](#) - INFO - Running test case 'sig_instrumentation'...

2022-11-10 12:58:52,474 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
sig_instrumentation	functest	00:03	PASS

2022-11-10 12:58:52,477 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_OK

sig_instrumentation: PASS

2022-11-10 12:58:48,233 - [xtesting.ci.run_tests](#) - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 12:58:48,372 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'sig_instrumentation'...
2022-11-10 12:58:48,478 - [xtesting.ci.run_tests](#) - INFO - Running test case 'sig_instrumentation'...
2022-11-10 12:58:52,474 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
sig_instrumentation	functest	00:03	PASS

2022-11-10 12:58:52,477 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_OK

sig_instrumentation: PASS

2022-11-10 12:58:48,233 - [xtesting.ci.run_tests](#) - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 12:58:48,372 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'sig_instrumentation'...
2022-11-10 12:58:48,478 - [xtesting.ci.run_tests](#) - INFO - Running test case 'sig_instrumentation'...
2022-11-10 12:58:52,474 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
sig_instrumentation	functest	00:03	PASS

2022-11-10 12:58:52,477 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_OK

sig_instrumentation: PASS

2022-11-10 12:58:48,233 - [xtesting.ci.run_tests](#) - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 12:58:48,372 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'sig_instrumentation'...

2022-11-10 12:58:48,478 - [xtesting.ci.run_tests](#) - INFO - Running test case 'sig_instrumentation'...

2022-11-10 12:58:52,474 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
sig_instrumentation	functest	00:03	PASS

2022-11-10 12:58:52,477 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_OK

sig_auth: **FAIL**

2022-11-10 12:56:38,731 - [xtesting.ci.run_tests](#) - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 12:56:38,830 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'sig_auth'...

2022-11-10 12:56:38,987 - [xtesting.ci.run_tests](#) - INFO - Running test case 'sig_auth'...

2022-11-10 13:06:46,024 - [functest_kubernetes.k8stest](#) - ERROR - Summarizing 5 Failures:

[Fail] [sig-auth] [Feature:NodeAuthorizer] [It] Getting an existing configmap should exit with the Forbidden error
/workspace/src/k8s.io/kubernetes/_output/dockerized/go/src/k8s.io/kubernetes/test/e2e/auth/node_authz.go:103

[Fail] [sig-auth] [Feature:NodeAuthorizer] [It] Getting a secret for a workload the node has access to should
succeed
/workspace/src/k8s.io/kubernetes/_output/dockerized/go/src/k8s.io/kubernetes/test/e2e/auth/node_authz.go:122

[Fail] [sig-auth] [Feature:NodeAuthorizer] [It] Getting an existing secret should exit with the Forbidden error
/workspace/src/k8s.io/kubernetes/_output/dockerized/go/src/k8s.io/kubernetes/test/e2e/auth/node_authz.go:81

[Fail] [sig-auth] [Feature:NodeAuthorizer] [It] Getting a non-existent secret should exit with the Forbidden
error, not a NotFound error
/workspace/src/k8s.io/kubernetes/_output/dockerized/go/src/k8s.io/kubernetes/test/e2e/auth/node_authz.go:76

[Fail] [sig-auth] [Feature:NodeAuthorizer] [It] Getting a non-existent configmap should exit with the Forbidden
error, not a NotFound error
/workspace/src/k8s.io/kubernetes/_output/dockerized/go/src/k8s.io/kubernetes/test/e2e/auth/node_authz.go:86

2022-11-10 13:06:46,025 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
sig_auth	functest	10:07	FAIL

2022-11-10 13:06:46,027 - [xtesting.ci.run_tests](#) - ERROR - The test case 'sig_auth' failed.
2022-11-10 13:06:46,027 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_ERROR

sig_cluster_lifecycle: PASS

2022-11-10 12:57:12,748 - [xtesting.ci.run_tests](#) - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 12:57:12,847 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'sig_cluster_lifecycle'...
2022-11-10 12:57:13,007 - [xtesting.ci.run_tests](#) - INFO - Running test case 'sig_cluster_lifecycle'...
2022-11-10 12:57:36,639 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
sig_cluster_lifecycle	functest	00:23	PASS

2022-11-10 12:57:36,642 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_OK

sig_network: **FAIL**

2022-11-10 12:59:34,362 - [xtesting.ci.run_tests](#) - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 12:59:34,463 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'sig_network'...
2022-11-10 12:59:34,571 - [xtesting.ci.run_tests](#) - INFO - Running test case 'sig_network'...
2022-11-10 13:03:39,438 - [functest_kubernetes.k8stest](#) - ERROR - Summarizing 2 Failures:

[Fail] [sig-network] Contrack [It] should be able to preserve UDP traffic when server pod cycles for a NodePort service

/workspace/src/k8s.io/kubernetes/_output/dockerized/go/src/k8s.io/kubernetes/vendor/github.com/onsi/ginkgo/internal/leafnodes/runner.go:113

[Fail] [sig-network] Services [It] should be able to update service type to NodePort listening on same port number but different protocols

/workspace/src/k8s.io/kubernetes/_output/dockerized/go/src/k8s.io/kubernetes/test/e2e/network/service.go:1245

2022-11-10 13:03:39,439 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
sig_network	functest	04:04	FAIL

2022-11-10 13:03:39,440 - [xtesting.ci.run_tests](#) - ERROR - The test case 'sig_network' failed.
2022-11-10 13:03:39,440 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_ERROR

sig_node: **FAIL**

2022-11-10 13:28:29,405 - [xtesting.ci.run_tests](#) - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 13:28:29,505 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'sig_node'...
2022-11-10 13:28:29,611 - [xtesting.ci.run_tests](#) - INFO - Running test case 'sig_node'...
2022-11-10 13:57:14,874 - functest_kubernetes.k8stest - ERROR - Summarizing 1 Failure:

[Panic!] [sig-node] Probing container [It] should be ready immediately after startupProbe succeeds
/workspace/src/k8s.io/kubernetes/_output/dockerized/go/src/k8s.io/kubernetes/vendor/k8s.io/apimachinery/pkg/util/runtime/runtime.go:55

2022-11-10 13:57:14,875 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
sig_node	functest	28:45	FAIL

2022-11-10 13:57:14,876 - [xtesting.ci.run_tests](#) - ERROR - The test case 'sig_node' failed.
2022-11-10 13:57:14,876 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_ERROR

sig_scheduling_serial: PASS

2022-11-10 13:28:44,050 - [xtesting.ci.run_tests](#) - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 13:28:44,150 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'sig_scheduling_serial'...
2022-11-10 13:28:44,256 - [xtesting.ci.run_tests](#) - INFO - Running test case 'sig_scheduling_serial'...
2022-11-10 13:42:58,573 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
sig_scheduling_serial	functest	14:14	PASS

2022-11-10 13:42:58,575 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_OK

sig_storage: **FAIL**

2022-11-10 13:28:58,164 - [xtesting.ci.run_tests](#) - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 13:28:58,263 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'sig_storage'...

2022-11-10 13:28:58,370 - [xtesting.ci.run_tests](#) - INFO - Running test case 'sig_storage'...

2022-11-10 13:52:56,376 - [functest_kubernetes.k8stest](#) - ERROR - Summarizing 5 Failures:

[Fail] [sig-storage] CSI mock volume CSI NodeUnstage error cases [Slow] [It] two pods: should call NodeStage after previous NodeUnstage final error
/workspace/src/k8s.io/kubernetes/_output/dockerized/go/src/k8s.io/kubernetes/test/e2e/storage/csi_mock_volume.go:1017

[Fail] [sig-storage] PersistentVolumes-local [Volume type: dir-bindmounted] Set fsGroup for local volume [It] should set same fsGroup for two pods simultaneously [Slow]
/workspace/src/k8s.io/kubernetes/_output/dockerized/go/src/k8s.io/kubernetes/test/e2e/storage/persistent_volumes-local.go:808

[Fail] [sig-storage] PersistentVolumes-local Stress with local volumes [Serial] [AfterEach] should be able to process many pods and reuse local volumes
/workspace/src/k8s.io/kubernetes/_output/dockerized/go/src/k8s.io/kubernetes/test/e2e/storage/utils/local.go:114

[Fail] [sig-storage] PersistentVolumes-local [Volume type: dir-link-bindmounted] Set fsGroup for local volume [It] should set same fsGroup for two pods simultaneously [Slow]
/workspace/src/k8s.io/kubernetes/_output/dockerized/go/src/k8s.io/kubernetes/test/e2e/storage/persistent_volumes-local.go:808

[Fail] [sig-storage] CSI mock volume CSI NodeUnstage error cases [Slow] [It] two pods: should call NodeStage after previous NodeUnstage transient error
/workspace/src/k8s.io/kubernetes/_output/dockerized/go/src/k8s.io/kubernetes/test/e2e/storage/csi_mock_volume.go:1017

2022-11-10 13:52:56,377 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
sig_storage	functest	23:58	FAIL

2022-11-10 13:52:56,379 - [xtesting.ci.run_tests](#) - ERROR - The test case 'sig_storage' failed.

2022-11-10 13:52:56,379 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_ERROR

sig_storage_serial: PASS

2022-11-10 14:18:46,523 - [xtesting.ci.run_tests](#) - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 14:18:46,584 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'sig_storage_serial'...

2022-11-10 14:18:46,650 - [xtesting.ci.run_tests](#) - INFO - Running test case 'sig_storage_serial'...

2022-11-10 14:22:24,652 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
sig_storage_serial	functest	03:38	PASS

2022-11-10 14:22:24,655 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_OK

functest-kubernetes-security

kube_hunter: **WARN**

2022-11-10 11:20:38,300 - [xtesting.ci.run_tests](#) - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 11:20:38,316 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'kube_hunter'...

2022-11-10 11:20:38,823 - [xtesting.ci.run_tests](#) - INFO - Running test case 'kube_hunter'...

2022-11-10 11:21:07,061 - [functest_kubernetes.security.security](#) - WARNING - Skipping CAP_NET_RAW Enabled (severity is configured as high)

2022-11-10 11:21:07,061 - [functest_kubernetes.security.security](#) - WARNING - Skipping Read access to pod's service account token (severity is configured as high)

2022-11-10 11:21:07,062 - [functest_kubernetes.security.security](#) - WARNING - Skipping Access to pod's secrets (severity is configured as high)

2022-11-10 11:21:07,062 - [functest_kubernetes.security.security](#) - WARNING - Skipping K8s Version Disclosure (severity is configured as high)

2022-11-10 11:21:07,062 - [functest_kubernetes.security.security](#) - WARNING - Skipping Access to API using service account token (severity is configured as high)

2022-11-10 11:21:07,064 - [functest_kubernetes.security.security](#) - WARNING -

CATEGORY	VULNERABILITY	SEVERITY
Access Risk	CAP_NET_RAW Enabled	low
Access Risk	Read access to pod's service account token	low
Access Risk	Access to pod's secrets	low
Information Disclosure	K8s Version Disclosure	medium
Information Disclosure	Access to API using service account token	medium

2022-11-10 11:21:07,074 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
kube_hunter	functest	00:28	PASS

2022-11-10 11:21:07,126 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_OK

kube_bench_master: PASS

2022-11-10 11:25:10,440 - [xtesting.ci.run_tests](#) - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 11:25:10,456 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'kube_bench_master'...

2022-11-10 11:25:10,913 - [xtesting.ci.run_tests](#) - INFO - Running test case 'kube_bench_master'...

2022-11-10 11:25:18,894 - functest_kubernetes.security.security - ERROR - Ensure that the etcd pod specification file permissions are set to 644 or more restrictive (Scored)

Run the below command (based on the file location on your system) on the master node.

For example,

`chmod 644 /etc/kubernetes/manifests/etcd.yaml`

2022-11-10 11:25:18,895 - functest_kubernetes.security.security - ERROR - Ensure that the etcd pod specification file ownership is set to root:root (Scored)

Run the below command (based on the file location on your system) on the master node.

For example,

`chown root:root /etc/kubernetes/manifests/etcd.yaml`

2022-11-10 11:25:18,895 - functest_kubernetes.security.security - ERROR - Ensure that the etcd data directory permissions are set to 700 or more restrictive (Scored)

On the etcd server node, get the etcd data directory, passed as an argument --data-dir, from the below command:

`ps -ef | grep etcd`

Run the below command (based on the etcd data directory found above). For example,

`chmod 700 /var/lib/etcd`

2022-11-10 11:25:18,895 - functest_kubernetes.security.security - ERROR - Ensure that the etcd data directory ownership is set to etcd:etcd (Scored)

On the etcd server node, get the etcd data directory, passed as an argument --data-dir, from the below command:

`ps -ef | grep etcd`

Run the below command (based on the etcd data directory found above).

For example, `chown etcd:etcd /var/lib/etcd`

2022-11-10 11:25:18,895 - functest_kubernetes.security.security - ERROR - Ensure that the RotateKubeletServerCertificate argument is set to true (Scored)

Edit the Controller Manager pod specification file `/etc/kubernetes/manifests/kube-controller-manager.yaml` on the master node and set the --feature-gates parameter to include `RotateKubeletServerCertificate=true`.
`--feature-gates=RotateKubeletServerCertificate=true`

2022-11-10 11:25:18,897 - functest_kubernetes.security.security - WARNING - Targets:

NODE_TYPE		VERSION	TEST_DESC		PASS	FAIL
WARN						
master	12	1.5	Master Node Configuration			
Files	12	4	5	API		
Server	master	1.5	0	4		
Manager	master	1.5	Controller			
0	master	1.5	1	0	2	0
			Scheduler			

2022-11-10 11:25:18,897 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
kube_bench_master	functest	00:07	PASS

2022-11-10 11:25:18,955 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_OK

kube_bench_node: PASS

2022-11-10 11:35:47,669 - [xtesting.ci.run_tests](#) - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 11:35:47,685 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'kube_bench_node'...

2022-11-10 11:35:47,991 - [xtesting.ci.run_tests](#) - INFO - Running test case 'kube_bench_node'...

2022-11-10 11:35:54,758 - functest_kubernetes.security.security - ERROR - Ensure that the proxy kubeconfig file permissions are set to 644 or more restrictive (Scored)

Run the below command (based on the file location on your system) on the each worker node.

For example,

chmod 644 /etc/kubernetes/proxy.conf

2022-11-10 11:35:54,759 - functest_kubernetes.security.security - ERROR - Ensure that the proxy kubeconfig file ownership is set to root:root (Scored)

Run the below command (based on the file location on your system) on the each worker node.

For example, chown root:root /etc/kubernetes/proxy.conf

2022-11-10 11:35:54,759 - functest_kubernetes.security.security - ERROR - Ensure that the --read-only-port argument is set to 0 (Scored)

If using a Kubelet config file, edit the file to set readOnlyPort to 0.

If using command line arguments, edit the kubelet service file

/etc/systemd/system/kubelet.service on each worker node and

set the below parameter in KUBELET_SYSTEM_PODS_ARGS variable.

--read-only-port=0

Based on your system, restart the kubelet service. For example:

systemctl daemon-reload

systemctl restart kubelet.service

2022-11-10 11:35:54,759 - functest_kubernetes.security.security - ERROR - Ensure that the --protect-kernel-defaults argument is set to true (Scored)
 If using a Kubelet config file, edit the file to set protectKernelDefaults: true.
 If using command line arguments, edit the kubelet service file
 /etc/systemd/system/kubelet.service on each worker node and
 set the below parameter in KUBELET_SYSTEM_PODS_ARGS variable.
 --protect-kernel-defaults=true
 Based on your system, restart the kubelet service. For example:
 systemctl daemon-reload
 systemctl restart kubelet.service

2022-11-10 11:35:54,759 - functest_kubernetes.security.security - ERROR - Ensure that the --tls-cert-file and --tls-private-key-file arguments are set as appropriate (Scored)
 If using a Kubelet config file, edit the file to set tlsCertFile to the location
 of the certificate file to use to identify this Kubelet, and tlsPrivateKeyFile
 to the location of the corresponding private key file.
 If using command line arguments, edit the kubelet service file
 /etc/systemd/system/kubelet.service on each worker node and
 set the below parameters in KUBELET_CERTIFICATE_ARGS variable.
 --tls-cert-file=<path/to/tls-certificate-file>
 --tls-private-key-file=<path/to/tls-key-file>
 Based on your system, restart the kubelet service. For example:
 systemctl daemon-reload
 systemctl restart kubelet.service

2022-11-10 11:35:54,760 - functest_kubernetes.security.security - WARNING - Targets:

+-----+ +-----+		+-----+ +-----+		+-----+ +-----+		+-----+ +-----+	
WARN	node	VERSION	2	TEST_DESC	1	PASS	FAIL
+-----+ +-----+		+-----+ +-----+		+-----+ +-----+		+-----+ +-----+	
Files	node	7	1.5	Worker Node Configuration	1		
2	node		1.5	Kubelet		8	3
+-----+ +-----+		+-----+ +-----+		+-----+ +-----+		+-----+ +-----+	

2022-11-10 11:35:54,760 - xtesting.ci.run_tests - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
kube_bench_node	functest	00:06	PASS

2022-11-10 11:35:54,816 - xtesting.ci.run_tests - INFO - Execution exit value: Result.EX_OK

opnfv/functest-kubernetes-benchmarking

xrally_kubernetes_full: PASS

2022-11-10 11:36:23,102 - xtesting.ci.run_tests - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 11:36:23,118 - xtesting.ci.run_tests - INFO - Loading test case 'xrally_kubernetes_full'...
 2022-11-10 11:36:23,841 - xtesting.ci.run_tests - INFO - Running test case 'xrally_kubernetes_full'...
 2022-11-10 12:12:59,868 - xtesting.ci.run_tests - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
xrally_kubernetes_full	functest	36:36	PASS

2022-11-10 12:12:59,870 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_OK
netperf: PASS

2022-11-10 12:20:46,740 - [xtesting.ci.run_tests](#) - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 12:20:46,755 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'netperf'...
2022-11-10 12:20:46,777 - [xtesting.ci.run_tests](#) - INFO - Running test case 'netperf'...
2022-11-10 13:02:09,472 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
netperf	functest	41:22	PASS

2022-11-10 13:02:09,475 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_OK

functest-kubernetes-cnf

k8s_vims: **FAIL**

2022-11-10 13:32:56,101 - [xtesting.ci.run_tests](#) - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 13:32:56,118 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'k8s_vims'...
2022-11-10 13:32:56,614 - [xtesting.ci.run_tests](#) - INFO - Running test case 'k8s_vims'...
2022-11-10 13:40:21,901 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
k8s_vims	functest	07:25	FAIL

2022-11-10 13:40:22,268 - [xtesting.ci.run_tests](#) - ERROR - The test case 'k8s_vims' failed.
2022-11-10 13:40:22,268 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_ERROR

helm_vims: **FAIL**

2022-11-10 13:47:15,988 - [xtesting.ci.run_tests](#) - INFO - Deployment description:

ENV VAR	VALUE
CI_LOOP	daily
DEBUG	false
DEPLOY_SCENARIO	k8-nosdn-nofeature-noha
INSTALLER_TYPE	unknown
BUILD_TAG	
NODE_NAME	
TEST_DB_URL	http://testresults.opnfv.org/test/api/v1/results
TEST_DB_EXT_URL	
S3_ENDPOINT_URL	
S3_DST_URL	
HTTP_DST_URL	

2022-11-10 13:47:16,005 - [xtesting.ci.run_tests](#) - INFO - Loading test case 'helm_vims'...

2022-11-10 13:47:16,457 - [xtesting.ci.run_tests](#) - INFO - Running test case 'helm_vims'...

2022-11-10 13:55:19,705 - [xtesting.ci.run_tests](#) - INFO - Test result:

TEST CASE	PROJECT	DURATION	RESULT
helm_vims	functest	08:03	FAIL

2022-11-10 13:55:20,812 - [xtesting.ci.run_tests](#) - ERROR - The test case 'helm_vims' failed.

2022-11-10 13:55:20,813 - [xtesting.ci.run_tests](#) - INFO - Execution exit value: Result.EX_ERROR

functest-kubernetes-healthcheck

zip_campaign